

Power Point Manual

Get On The
BUS



BrainMaster
Universe
Simplified



“Alert”
level 2

Alert

Level 2

- How can I modify the Alert Settings to change electrode placements?

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

Alert

Level 2

- The Level 1 Base Setting for the Alert Protocol utilizes the electrode placement of C3 to train up beta.
- Suppose the recommendation for this client is to train up beta at P4.
- Lets learn how to change the electrode placement.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

FIRST: It is so very simple to make changes and experiment with BrainAvatar Settings Files without concern because if something just doesn't seem to work as planned, you always can reload the original Settings File you downloaded to your system.



All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

Consider manipulating the settings in your working folder as a sandbox. You can always replace it with the original setting file.



All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

Alert

Level 2

Lets Begin

- Make Sure the Atlantis Amplifier is plugged in.




All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

Alert

Level 2

- Open BrainAvatar by double-clicking the BrainAvatar Icon




All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

- The Select Folder Screen will appear.
- By now you should know how to either create a new client folder or recall an existing client folder.
- For the purposes of this exercise let's open and utilize the "BUSTest" Folder which may already be resident on your system. If not, then create one.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

- The BrainAvatar Setup Window will Appear



- Click “Folder Selections”.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

- The Select Folder Screen will appear.

BrainAvatar Setup

Main | Login | Folder | Settings | EDF Browser | Review | Global Settings

Select Folder | Create Folder | Folder Notes | Session Librarian | Edit Folder Info.

Select Folder: (you may double-click to select)

Study Name	Birth Date	Sess	Max	Comment	Technician	Physician	Trainee Name	Created	Modified
..									
BUSTest	2000-7-4	40		Alert Beta Up T...	EEG tech		BUSTest	2016-8-3	2016-8-3

Study Name (Trainee ID): BroJad4chPZOKP3P4O1O2

Trainee Name: BroJad4chPZOKP3P4O1O2

Comment: comment

Sessions Used: 4

Max Sessions: 40

Session Librarian

Administer Session Genie | Push Current Study to Server and Delete | Archive Current Study | Archive Current Study and Delete

Create New Folder

Folder Notes

Edit Folder Info.


Select And Run

Logged in, device type Discovery

Use Settings and Close | Use These Settings

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.


- The Select Folder Screen will appear.



- Click the Study (Folder) you would like to open (in this case BUSTest) and then click “Select and Run”.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.


- The BrainAvatar Acquisition Screen is illuminated. Let's load the original ALERT Level 1 Setting File.




- Click “File” from the Main Menu at the top.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

- Next click “Import Settings”.



- Scroll to find the original Alert Level 1 File and double click it.


Name	Date modified	Type	Size
 0201001Alert.bdb2	11/20/2015 12:31 ...	BDB2 File	142 KB

- The original Alert Level 1 setting is imported into the Client’s Study and is now ready for modification.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




- Click “Setup”.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




- Click “Settings”.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




YOU ARE NOW ABOUT TO ENTER THE “BRAIN CENTER” OF THE BRAINAVATAR PROGRAM. ANY HAPHAZARD MODIFICATIONS HERE WITHOUT KNOWLEDGE MAY CAUSE UNPREDICTABLE RESULTS. THIS INSTRUCTION MANUAL WILL GIVE YOU THE PROPER KNOWLEDGE TO ALTER THESE CONTROL SCREENS WITHOUT WORRY. AGAIN, YOU CAN ALWAYS INSTALL THE ORIGINAL SETTING FILE IF NECESSARY.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




Click "Acquisition".

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




This is the Acquisition Screen where electrode positions are chosen. The selections relate the locations where you plug electrodes into the Atlantis Amplifier with the BrainAvatar Software.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




As you can see the electrode placement (C3) from the original ALERT Level 1 setting had been selected.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




Click “Deselect All” to reset the software to a place where no electrodes are selected.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




Notice, no electrodes are selected and the screen is ready to accept your new electrode placements.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




Select the electrode placement “P4” in the main screen. Notice this choice has populated the Acquired section of the Acquisition Screen.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




We are now ready to move to the next screen, the “Montage” Screen.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




Notice the previous electrode listing remained on this screen. To change this click “Set From Acquired”.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




Notice, now, the montage is properly populated with the electrode chosen.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




This completes the channel modification work. Click “Use Settings and Close” to save the modifications.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




You can now see that electrode placements and the montage have been changed. However, we are not done yet. If desired, We may now save this modification as a new settings file.

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

The Protocol is now ready for Modification




Click "File".

All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

Level 2

Next click “Export Settings”.




All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

Level 2

Find the AlertLevel002 / 0202001electrodeplace Folder and store this setting file there. The file name has already been provided.




All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

ALERT

Level 2

The Protocol is now ready to run with the revisions made.



All protocols are for demo and research purposes only. Clinicians must determine protocol choices. All protocols must be used within scope of practice and scope of competence.

Power Point Manual

Get On The
BUS



BrainMaster
Universe
Simplified



“Alert”
level 2